



**QUAN ZHOU DAMING ELECTRICAL
APPLIANCE CO.,LTD**



A COMPANY YOU CAN TRUST:

Located in Quanzhou, Quanzhou Daming Electrical Appliance Co., Ltd. is a professional manufacturer of LED exit/emergency lights and related accessories. We have 4 years of experience in electronic industry and have a good reputation in this field. Our products have won praises from customers worldwide.

QUALITY AND SAFETY:

We have implemented a strict and complete quality control system, which ensures that each product can meet quality requirements of customers. Besides, all of our products have been strictly inspected before shipment.

YOUR SUCCESS, OUR GLORY:

Our aim is to help customers realize their goals. We are making great efforts to achieve this win-win situation and sincerely welcome you to join us.



ENTERPRISE HONOR:





EMERGENCY EXIT SIGN LIGHT

P/N: DL-150/200/400





P/N: DL-150/200/400



ENGRAVING LIGHTGUIDE



LIGHTGUIDE



EGRAYING



LED

STANDARD FEATURES

- Specialized Aluminium Alloy Housing
- Single side or dual sides Square Display Size
- Professional Lightguide design with Acrylic Panel

ELECTRICAL FEATURES

- Full AC Input Voltage Operation (100~240V)
- LED Lamps are Operating in normal and emergency modes.

PRODUCTION INFORMATION:

MODEL	DISPLAY SIZE	T	LED		BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
			QTY	COLOR			
DL-150,150A,150B	150*150MM	5MM	8	White	NI-CD 3.6V 300MAH	90	35.2
DL-150DS	150*150MM	6MM	16	White	NI-MH 3.6V 600MAH	90	70.4
DL-150A-DS	150*150MM	6MM	16	White	NI-MH 3.6V 600MAH	90	70.4
DL-150C	150*150MM	5MM	8	White	NI-CD 3.6V 300MAH	90	35.2
	150*150MM	5MM	8	Green	NI-CD 3.6V 300MAH	90	35.2
	150*150MM	5MM	8	Red	NI-CD 3.6V 300MAH	90	35.2
DL-200,200A,200B	200*200MM	5MM	11	White	NI-CD 3.6V 600MAH	90	48.4
DL-200DS	200*200MM	6MM	22	White	NI-MH 3.6V 1200MAH	90	96.8
DL-200A-DS	200*200MM	6MM	22	White	NI-MH 3.6V 1200MAH	90	96.8
DL-200C	200*200MM	5MM	11	White	NI-CD 3.6V 600MAH	90	48.4
	200*200MM	5MM	11	Green	NI-CD 3.6V 600MAH	90	48.4
	200*200MM	5MM	11	Red	NI-CD 3.6V 600MAH	90	48.4
DL-400,400A,400B	400*400MM	5MM	44	White	NI-MH 3.6V 1600MAH	90	193.6
DL-400C	400*400MM	5MM	44	White	NI-MH 3.6V 1600MAH	90	193.6
	400*400MM	5MM	44	Green	NI-MH 3.6V 1600MAH	90	193.6
	400*400MM	5MM	44	Red	NI-MH 3.6V 1600MAH	90	193.6


For More emergency time and Luminous, Please contact us.



DZMING PRODUCT SHOWCASE

EMERGENCY EXIT SIGN LIGHT

P/N: DL-360/500/600/1000



ENGRAVING LIGHTGUIDE



LIGHTGUIDE



EGRAVING



LED

STANDARD FEATURES

- Specialized Aluminium Alloy Housing
- Single side or Dual sides Rectangle Display Size
- Professional Lightguide design with Acrylic Panel

ELECTRICAL FEATURES

- Full AC Input Voltage Operation(100~240V)
- LED Lamps are Operating in normal and emergency modes.

PRODUCTION INFORMATION:

MODEL	DISPLAY SIZE	T	LED		BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
			QTY	COLOR			
DL-360,360A,360B	360*120MM	5MM	18	White	NI-CD 3.6V 600MAH	90	79.2
DL-360DS	360*120MM	6MM	36	White	NI-MH 3.6V 1600MAH	90	158.4
DL-360A-DS	360*120MM	6MM	36	White	NI-MH 3.6V 1600MAH	90	158.4
DL-360C	360*120MM	5MM	18	White	NI-CD 3.6V 600MAH	90	79.2
	360*120MM	5MM	18	Green	NI-CD 3.6V 600MAH	90	79.2
	360*120MM	5MM	18	Red	NI-CD 3.6V 600MAH	90	79.2
DL-500,500A, 500B	500*166MM	5MM	26	White	NI-CD 3.6V 600MAH	90	114.4
DL-500DS	500*166MM	6MM	52	White	NI-MH 3.6V 1600MAH	90	228.8
DL-500A-DS	500*166MM	6MM	52	White	NI-MH 3.6V 1600MAH	90	228.8
DL-500C	500*166MM	5MM	26	White	NI-CD 3.6V 600MAH	90	114.4
	500*166MM	5MM	26	Green	NI-CD 3.6V 600MAH	90	114.4
	500*166MM	5MM	26	Red	NI-CD 3.6V 600MAH	90	114.4
DL-600,600A,600B	600*200MM	5MM	33	White	NI-MH 3.6V 1600MAH	90	145.2
DL-600C	600*200MM	5MM	33	White	NI-MH 3.6V 1600MAH	90	145.2
	600*200MM	5MM	33	Green	NI-MH 3.6V 1600MAH	90	145.2
	600*200MM	5MM	33	Red	NI-MH 3.6V 1600MAH	90	145.2
DL-1000,1000A,1000B	1000*200MM	5MM	54	White	NI-MH 3.6V 2500MAH	90	237.6

For More emergency time and Luminous, Please contact us.



P/N: DL-370/550



ENGRAVING LIGHTGUIDE



LIGHTGUIDE



ENGRAVING



LED

STANDARD FEATURES

- Injection-molded thermoplastic ABS Housing
- Single side or Dual sides Rectangle Display Size
- Professional Lightguide design with Acrylic Panel

ELECTRICAL FEATURES

- Full AC Input Voltage Operation(100~240V)
- LED Lamps are Operating in normal and emergency modes.

PRODUCTION INFORMATION:

MODEL	DISPLAY SIZE	T	LED		BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
			QTY	COLOR			
DL-370	376*126MM	3MM	18	White	NI-CD 3.6V 600MAH	90	79.2
DL-370DS	376*126MM	6MM	36	White	NI-MH 3.6V 1600MAH	90	158.4
DL-370A	376*126MM	3MM	18	White	NI-CD 3.6V 600MAH	90	79.2
DL-370A-DS	376*126MM	6MM	36	White	NI-MH 3.6V 1600MAH	90	158.4
DL-370B	376*126MM	3MM	18	White	NI-CD 3.6V 600MAH	90	79.2
DL-370C	376*126MM	3MM	18	White	NI-CD 3.6V 600MAH	90	79.2
	376*126MM	3MM	18	Green	NI-CD 3.6V 600MAH	90	79.2
	376*126MM	3MM	18	Red	NI-CD 3.6V 600MAH	90	79.2
DL-550	498*166MM	3MM	24	White	NI-CD 3.6V 600MAH	90	105.6
DL-550DS	498*166MM	6MM	48	White	NI-CD 3.6V 600MAH	90	211.2
DL-550A	498*166MM	3MM	24	White	NI-CD 3.6V 600MAH	90	105.6
DL-550A-DS	498*166MM	6MM	48	White	NI-CD 3.6V 600MAH	90	211.2
DL-550B	498*166MM	3MM	24	White	NI-CD 3.6V 600MAH	90	105.6

For More emergency time and Luminous, Please contact us.



DZMING PRODUCT SHOWCASE

EMERGENCY EXIT SIGN LIGHT

P/N: DL-380



EMERGENCY EXIT SIGN LIGHT



EMERGENCY EXIT SIGN LIGHT



EMERGENCY EXIT SIGN LIGHT




EMERGENCY EXIT SIGN LIGHT

STANDARD FEATURES

- Super Low-profile 25mm Total Chassis Depth
- Injection-molded thermoplastic ABS Housing
- Single side Rectangle Display Size
- Professional Lightguide design with Acrylic Panel
- Easy Wall Mounting

ELECTRICAL FEATURES

- Full AC Input Voltage Operation(100~240V)
- LED Lamps are Operating in normal and emergency modes.



PRODUCTION INFORMATION:

MODEL	DISPLAY SIZE	T	LED		BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
			QTY	COLOR			
DL-380A	360*120MM	2MM	18	White	NI-CD 3.6V 600MAH	90	79.2
DL-380A-35	360*120MM	2MM	35	White	NI-MH 3.6V 1600MAH	90	154
DL-380A-180	360*120MM	2MM	18	White	NI-MH 3.6V 1600MAH	180	79.2

Expect More Size.



P/N: DT-516/536




STANDARD FEATURES

- Injection-molded thermoplastic ABS Housing
- Injection-molded thermoplastic ABS Housing
- Easy Wall Mounting
- Product Size: 308(L)x100(W)x140(H) mm

ELECTRICAL FEATURES

- Full AC Input Voltage Operation(100~240V)
- LED Lamps are Operating in Emergency Modes.
- Over Charge and Over Discharge Protect Circuit for Acid Lead Battery.



Dimension (mm)

PRODUCTION INFORMATION:

MODEL	LIGHT SOURCE			BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
	TYPE	QTY	COLOR			
DT-508	Halogen Lamp	2	Warm White	Lead-Acid 6V4A	3	56
DT-516	LED	32	White	Lead-Acid 4V4A	6	140.8
DT-536	SMD LED	72	White	Lead-Acid 6V4A	3	316.8

For More Colorful Light Source, Please Contact us.



EMERGENCY LIGHT

P/N: DT-088/130/135





P/N: DT-086/130/135




STANDARD FEATURES

- Injection-molded thermoplastic ABS Housing
- Professional Emergency Light for Family and Hotel
- Product Size: 104(L)x50(W)x208(H) mm For DT-130
135(L)x135(W)x27(H) mm For DT-135
63(L)x39(W)x86(H) mm For DT-086

ELECTRICAL FEATURES

- ➔ Full AC Input Voltage Operation(100~240V)
- ➔ LED Lamps are Operating in Emergency Modes.



PRODUCTION INFORMATION:

MODEL	LIGHT SOURCE			BATTERY	EMERGENCY TIME (MINS)	LUMINOUS LM
	TYPE	QTY	COLOR			
DT-130	LED	36	White	Ni-Cd 3.6V 600mAh	1.5	158.4
DT-130-S3	SMD LED	36	White	Ni-mH 3.6V 1600mAh	3	158.4
DT-130-S6	SMD LED	36	White	Ni-mH 6V 1600mAh	6	158.4
DT-130H	SMD LED	72	White	Ni-mH 6V 1600mAh	3	316.8
DT-135	LED	42	White	Ni-Cd 3.6V 600mAh	1.5	184.8
DT-135-M3	LED	42	White	Ni-mH 3.6V 1600mAh	3	184.8
DT-086	LED	8	White	Ni-Cd 3.6V 600mAh	4	35.2

For More Colorful Light Source, Please Contact us.



DZMING PRODUCT SHOWCASE

EMERGENCY LIGHT

P/N: DL-216/216A/236/236A




STANDARD FEATURES

- Injection-molded thermoplastic ABS Housing
- Traditional Adjustable Shape Light Heads for Emergency Light
- Easy Wall Mounting
- Product Size: 292(L)x91(W)x275(H) mm

ELECTRICAL FEATURES

- Full AC Input Voltage Operation(100~240V)
- LED Lamps are Operating in Emergency Modes.
- Over Charge and Over Discharge Protect Circuit for Acid Lead Battery.



PRODUCTION INFORMATION:

MODEL	LIGHT SOURCE			BATTERY	EMERGENCY TIME		LUMINOUS LM
	TYPE	QTY	COLOR		SINGLE(HRS)	DUAL(HRS)	
DT-108	Halogen Lamp	2	Warm White	Lead-Acid 6V4A	6	3	56
DT-108A	Halogen Lamp	2	Warm White	Lead-Acid 6V4A	6	3	56
DT-216	LED	32	White	Lead-Acid 4V4A	12	6	140.8
DL-216A	LED	32	White	Lead-Acid 4V4A	12	6	140.8
DT-236	LED	72	White	Lead-Acid 6V4A	6	3	140.8
DT-236A	SMD LED	72	White	Lead-Acid 6V4A	6	3	316.8

For More Colorful Light Source, Please Contact us.



P/N: DT-204




STANDARD FEATURES

- ☑ Injection-molded thermoplastic ABS Housing
- ☑ Slim Adjustable Shape Light Heads for Emergency Light
- ☑ Easy Wall Mounting
- ☑ Product Size: 250(L)x65(W)x190(H) mm

ELECTRICAL FEATURES

- ➔ Full AC Input Voltage Operation(100~240V)
- ➔ LED Lamps are Operating in Emergency Modes.
- ➔ Over Charge and Over Discharge Protect Circuit for Acid Lead Battery.



PRODUCTION INFORMATION :

MODEL	LIGHT SOURCE			BATTERY	EMERGENCY TIME		LUMINOUS LM
	TYPE	QTY	COLOR		SINGLE(HRS)	DUAL(HRS)	
DT-204	LED	24	White	Lead-Acid 4V2.4A	10	5	105.6
DT-204M	SMD LED	24	White	Ni-mH 3.6V 2500mAh	10	5	105.6

For More Colorful Light Source, Please Contact us.



DZMING PRODUCT SHOWCASE

EMERGENCY LIGHT

EMERGENCY SIGNS:



DM-A001



DM-A002



DM-A003



DM-A004



DM-A005



DM-A006



DM-A007



DM-A008



DM-A009



DM-A010



DM-A011



DM-A012



DM-A013



DM-A014



DM-A015



DM-A016



DM-A017



DM-A018



DM-A019



DM-A020



DM-A021



DM-A022



DM-A023



DM-A024



DM-A025



DM-A026



DM-A027



DM-A028



DM-A029



DM-A030



DM-A031



DM-A032



DM-A033



DM-A034



DM-A035



DM-A036



DM-A037



DM-A038



DM-A039



DM-A040



DM-A041



DM-A042



DM-A043



DM-A044



Quan Zhou Daming Electrical Appliance Co., LTD

Address: Block B, Building No.1, Standard Factory, Huaqiao Economic Development Zone,
Shuayang, Luojiang Dist, Quanzhou, Fujian Province, P.R. of China .

Phone: 0086-595-22031687

Fax: 0086-595-22038798

Website: www.dzming.com
www.dzming.com.cn
<http://dzming.en.made-in-china.com>

Email: daming@dzming.com
2067750183@qq.com
QQ : 2067750183





Quan Zhou Daming Electrical Appliance Co.,LTD
Tel:0086-595-22031687
Fax:0086-595-22038798
E-mail:daming@dzming.com